



บริษัท ไทย เอ.เค. เอ็นจิเนียร เทค จำกัด  
THAI A.K. ENGINEER TECH CO., LTD.

188/113 Moo 3 Thepharak Rd., Bangpleeyai, Bangplee, Samutprakarn 10540 Thailand  
188/113 หมู่บ้าน บ้านใหม่ หมู่ 3 ถนนเทพารักษ์ ต. บางพลีใหญ่ อ.บางพลี จ.สมุทรปราการ 10540  
Tel: 0 2325 4355-9 Fax: 0 2116 8162 Website: [www.thai-ak.com](http://www.thai-ak.com)  
E-mail: [info@thai-ak.com](mailto:info@thai-ak.com), [thai-ak@hotmail.com](mailto:thai-ak@hotmail.com), [thai.ak56@gmail.com](mailto:thai.ak56@gmail.com), [thai.ak56@yahoo.com](mailto:thai.ak56@yahoo.com)

## Electric Aluminium Work Platform Single Mast

AK - AMWP 6 - 1100 , AMWP 7.5 - 1100





บริษัท ไทย เอ.เค. เอ็นจิเนียร เทค จำกัด  
THAI A.K. ENGINEER TECH CO., LTD.

188/113 Moo 3 Thepharak Rd., Bangpleeyai, Bangplee, Samutprakarn 10540 Thailand  
188/113 หมู่บ้าน บ้านใหม่ หมู่ 3 ถนนเทพารักษ์ ต. บางพลีใหญ่ อ.บางพลี จ.สมุทรปราการ 10540  
Tel: 0 2325 4355-9 Fax: 0 2116 8162 Website: [www.thai-ak.com](http://www.thai-ak.com)  
E-mail: [info@thai-ak.com](mailto:info@thai-ak.com), [thai-ak@hotmail.com](mailto:thai-ak@hotmail.com), [thai.ak56@gmail.com](mailto:thai.ak56@gmail.com), [thai.ak56@yahoo.com](mailto:thai.ak56@yahoo.com)

## Electric Aluminium Work Platform Single Mast

AMWP 6 - 1000 , AMWP 7.5 - 1000






**บริษัท ไทย เอ.เค. เอ็นจิเนียร เทค จำกัด**  
**THAI A.K. ENGINEER TECH CO., LTD.**

188/113 Moo 3 Thepharak Rd., Bangpleeyai, Bangplee, Samutprakarn 10540 Thailand  
 188/113 หมู่บ้าน บ้านใหม่ หมู่ 3 ถนนเทพารักษ์ ต. บางพลีใหญ่ อ.บางพลี จ.สมุทรปราการ 10540  
 Tel: 0 2325 4355-9 Fax: 0 2116 8162 Website: [www.thai-ak.com](http://www.thai-ak.com)  
 E-mail: [info@thai-ak.com](mailto:info@thai-ak.com), [thai-ak@hotmail.com](mailto:thai-ak@hotmail.com), [thai.ak56@gmail.com](mailto:thai.ak56@gmail.com), [thai.ak56@yahoo.com](mailto:thai.ak56@yahoo.com)

## Electric Aluminium Work Platform Single Mast



TECHNICAL DATA		MODEL	
		AK - AMWP	AK - AMWP
		6 - 1100	7.5 - 1100
S.W.L		150kg	125kg
Max. Occupants		1	
Working Height	H1	8.00m	9.50m
Platform Floor Height	H2	6.00m	7.50m
Overall Length		1.41m	
Overall Width		0.76m	
Overall Height		1.99m	
Platform Size		0.78x0.70m	
Platform Extension Size		0.55x0.70m	
Ground Clearance		0.05m	
Wheel Base		1.07m	
Turning Radius(Inside)		0	
Turning Radius(Outside)		1.55m	
Drive Motors		2x24VDC/0.5kw	
Lifting Motor		24VDC/2kw	
Travel Speed(Stowed)		4.0km/h	
Travel Speed(Raised)		1.1km/h	
Up/Down Speed		24/25 sec	31/24 sec
Batteries		2x12V/120Ah	
Integrated Charger		24V/10A	
Gradeability		25%	
Maximum Slope		1.5°	
Tyre		Φ 305x100mm	
Gross Weight		1010kg	1070kg

● **Standard equipment**

- Proportional controls
- Automatic Pothole Protection
- Self-closing gate on platform
- Drivable at full height
- Non-marking tyre
- 2WD
- Automatic brake system
- Emergency lowering system
- Emergency stop button
- Cylinder holding valve
- Onboard diagnostic system
- Tilt sensor with alarm
- All motion alarm
- Horn
- Hour meter
- Forklift pockets
- Charger protection
- Flashing beacon

● **Options**

- Overload sensor with alarm
- AC power to platform
- Platform work lights
- Airline to platform



Extended platform



Pothole device



Forklift pockets



Gradeability



Emergency lowering system